

### Section 1. Identification of the substance/mixture and of the company/undertaking

 1.1
 Product identifier

 Product Form
 Mixture

 Trade Name
 PRIME 1100 COMPONENT A

 Product Code
 P1100A

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Use
 Industrial. For professional use only.

 1.2.2
 Uses Advised Against

 No additional information available
 Industrial. For professional use only.

 1.3
 Details of the supplier of the safety data sheet

 Manufacturer
 Supplier

NOX-CRETE MANUFACTURING INC 1444 SOUTH 20<sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <u>corporate@nox-crete.com</u> Web Site: <u>www.nox-crete.com</u>

1.4 Emergency telephone number

**Emergency Number** 

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

## Section 2. Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Resp Irrit.

Full text of H phrases see section 16Adverse physiochemical, human health and environmental effectsNo additional information available2.2Label elements

H315

H317

H319

H335

Hazard pictograms



Hazard statements

Danger

H315 – Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

#### **Precautionary statements**



Prevention:	P260 - Do not breathe dust/fume/gas/mist/vapors/spray
	P264 - Wash exposed area's thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the
	workplace.
	P280 - Wear protective gloves/eye protection
Response:	P302+P352 – IF ON SKIN: Wash with plenty of soap and water.
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do so continue rinsing
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
	P337+P313 - If eye irritation persists: Get medical advice/attention
	P362 - Take off contaminated clothing and wash before reuse.
Storage:	P403+P233 - Store in a well ventilated place. Keep container tightly closed.
	P405 - Store locked up.
Disposal:	P501 - Dispose of contents/container in accordance with
	local/regional/national/international regulations.
2.3 Other hazards	None known

Full text of R, H and EUH phrases: see section 16

## Section 3. Composition / information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixture

Name	Product identifier	%
Epoxy resin	Trade Secret	100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

## Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.



First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. immediately.
4.2 Most important symptoms and effects,	,
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.
Symptoms/injuries after skin contact	May cause skin irritation or burning sensation
Symptoms/injuries after eye contact May cause eye irritation or injury	
Symptoms/injuries after ingestion	May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach
4.3 Indication of any immediate medical attention and special treatment needed	

No additional information available

# Section 5. Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the subst	ance or mixture
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and
	full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released.
	This product may cause the floor to become slippery.

## Section 6. Accidental release measures

6.1	6.1 Personal precautions, protective equipment and emergency procedures		
General measures Dike or impound spilled material. Take proper precautions to ensu		Dike or impound spilled material. Take proper precautions to ensure	
		your own health and safety before attempting spill control or cleanup	
<u>6.11</u>	Protective Equipment	Equip cleanup crew with proper protective equipment.	
6.2	Environmental precautions	Prevent entry to sewers and public waters.	
		Notify authorities if liquid enters sewers or public waters.	
6.3 Methods and materials for containment and cleaning up			
Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth.			
		Collect into vapor tight containers and dispose of properly.	

Section 7. Handling and storage	
7.1 Precautions for safe handling	
Protective measures	Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.
Hygiene measures	Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, including a	any incompatibilities
Storage conditions	Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use.



# PRIME 1100 COMPONENT A Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Incompatible materials Storage temperature	Strong oxidizing agents, strong acids and aliphatic amines. Prevent exposure to freezing temperatures.
Section 8. Exposure controls/persor	nal protection
8.1 Control parameters Occupational exposure limits	None Established
8.2 Exposure controls Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	Yellow liquid
Odor	No data available
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	>293 C (200 F)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	1.1 Kg per Liter 9.17 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	No data available

## Section 10. Stability and reactivity

<u>10.1</u>	Reactivity	No additional information available
<u>10.2</u>	Chemical stability	Stable under normal conditions
<u>10.3</u>	Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4	Conditions to avoid	Extreme high or low temperatures. Avoid freezing
10.5	Incompatible materials	Strong acids, strong oxidizing agents and aliphatic amines under
		uncontrolled situations.
<u>10.6</u>	Hazardous decomposition products	Carbon Monoxide, Carbon Dioxide



### Section 11. Toxicology information

11.1 Information on toxicological effects	
Acute toxicity	No a
Irritation/Corrosion Skin	May
Eyes	May
Respiration or skin sensitization	May
Germ cell mutagenicity	
Carcinogenicity	
Reproductive toxicity	
Specific target organ toxicity	
Single exposure	Not
Repeated exposure	Not
Aspiration hazard	Not

lo adverse effects expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation lot classified lot classified lot classified lot classified lot classified lot classified

## Section 12. Ecological information

12.1 Ecotoxicity

12.2 Persistence and degradability12.3 Bioaccumulative potential12.4 Mobility in soil12.5 Other adverse effects

Not established Not established No additional information available Avoid release to the environment

### SECTION 13. Disposal Considerations

#### 13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA		
14.1 UN number	Not dangerous goods in sense of transport regulations.	
14.2 UN proper shipping name	Not applicable	
14.3 Transport hazard class(es)	Not applicable	
14.4 Packing group	Not applicable	
14.5 Environmental hazards	No additional information available	
14.6 Special precautions for user		
14.7 Transport in bulk according to		
Annex II of MARPOL 73/78 and the IBC Code	No additional information available	
14.8 Transport in bulk according to		
<u>CFR 49 173.15</u>	Not applicable	

### SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture15.1.2 USA RegulationsSection 313TSCAContains no ingredients at or above the De Minimus reporting levelAll ingredients are listed or exempted



Proposition 65	This product contains one or more chemicals known to the State of California to cause cancer and/or reproductive toxicity.
<u>15.1.3 Canada Regulations</u>	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR. All ingredients are listed or exempted
WHMIS <u>15.2 Chemical safety assessment</u>	A Chemical Safety Assessment has not been carried out.

Section 16. Other informat	ion
Date of issue	12-23-2015
Version	2.0
Number	180
Date of previous issue	7-28-2010
Preparer	Nox-Crete Manufacturing Inc.
Reference Documentation	

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

#### Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

#### Full text of R, H and EUH phrases

Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Irrit. 2	H319
STOT SE 3 Resp Irrit.	H335

H315 – Causes skin irritation

H317 - May cause an allergic skin reaction

H319 – Causes serious eye irritation

H335 - May cause respiratory irritation

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.



## PRIME 1100 COMPONENT A Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P280 - Wear protective gloves/eye protection

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P403+P233 - Store in a well ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.